

FIG.-1-
 Prior Art




FIG.-2-
Prior Art




FIG.-3-
 Prior Art




FIG. 4-
Prior Art

FIG. 5

5




FIG. 5-
Prior Art




FIG.-6-




FIG. 7-




FIG.-8-

SendRoutingInfoArg ::= SEQUENCE {			
msisdn			
cug-CheckInfo	[0] ISDN-AddressString,		OPTIONAL,
numberOfForwarding	[1] CUG-CheckInfo		OPTIONAL,
interrogationType	[2] NumberOfForwarding		OPTIONAL,
or-Interrogation	[3] InterrogationType,		OPTIONAL,
or-Capability	[4] NULL		OPTIONAL,
gsmc-Address	[5] OR-Phase		OPTIONAL,
callReferenceNumber	[6] ISDN-AddressString,		OPTIONAL,
forwardingReason	[7] CallReferenceNumber		OPTIONAL,
basicServiceGroup	[8] ForwardingReason		OPTIONAL,
networkSignalInfo	[9] Ext-BasicServiceCode		OPTIONAL,
camelInfo	[10] ExternalSignalInfo		OPTIONAL,
suppressionOfAnnouncement	[11] CamelInfo		OPTIONAL,
extensionContainer	[12] SuppressionOfAnnouncement		OPTIONAL,
alertingPattern	[13] ExtensionContainer		OPTIONAL,
ccbs-Call	[14] AlertingPattern		OPTIONAL,
supportedCCBS-Phase	[15] NULL		OPTIONAL,
additionalSignalInfo	[16] SupportedCCBS-Phase		OPTIONAL,
istSupportIndicator	[17] Ext-ExternalSignalInfo		OPTIONAL,
pre-payingSupported	[18] IST-SupportIndicator		OPTIONAL,
callDiversiionTreatmentIndicator	[19] NULL		OPTIONAL,
longFTN-Supported	[20] CallDiversiionTreatmentIndicator		OPTIONAL,
callingSubscriberNumber	[21] NULL		OPTIONAL,
	[22] ISDN-AddressString		OPTIONAL,

FIG. 9-

FIG.-10-